

Application No.: 09/872,100

Docket No.: A8130.0036/P036

CLAIMS

       There are no amendments to the claims.

  X   A complete listing of all claims ever present in this case in ascending order with status identifier is presented in a separate section.

**COMPLETE LISTING OF CLAIMS**  
**IN ASCENDING ORDER WITH STATUS INDICATOR**

1. (currently amended) A method of correcting a deformity by performing an osteotomy in a bone at an osteotomy site using a bone plate, the method comprising the steps of:

(a) resecting the bone from a first side of the bone to a second side of the bone so as to leave a bony hinge on the second side;

(b) opening the resection to a height at which the deformity is corrected using an opening tool;

(c) placing the bone plate in a location such that the bone plate spans the open resection; ~~and~~

(d) removing the opening tool; and

(e) packing the open resection with at least two ~~separate~~ individual pre-formed wedge shaped sections of material.

2. (previously presented) The method of claim 1, wherein the step of packing the resection includes the steps of inserting a smaller inner section of wedge shaped material behind the bone plate, and inserting two larger outer sections of wedge shaped material on either side of the smaller wedge section within the resection.

3. (previously presented) The method of claim 1, wherein the two wedge shaped sections of material have outer surfaces formed of cortical bone.

4. (previously presented) The method of claim 2, wherein the step of inserting the smaller inner section takes place prior to placing the bone plate.

6. (previously presented) The method of claim 1, wherein the material comprises allograft bone.

7. (previously presented) The method of claim 1, wherein the material comprises synthetic bone.

8. (original) The method of claim 7, wherein the synthetic bone comprises a biodegradable polylactide combined with a hydroxyapatite or tricalcium phosphate.

9. (currently amended) A method of correcting a deformity by performing an osteotomy in a bone at an osteotomy site using a bone plate, the method comprising the steps of:

(a) resecting the bone from a first side of the bone to a second side of the bone so as to leave a bony hinge on the second side;

(b) inserting an opening tool into the resection;

(c) opening the resection using the wedge tool to a height at which the deformity is corrected;

(d) placing the bone plate in a location such that the bone plate spans the open resection;

(e) removing the opening tool; and

(f) packing the resection with at least two ~~separate~~ individual pre-formed wedge shaped sections of material.

10. (previously presented) The method of claim 9, wherein the step of packing the resection includes the steps of inserting a smaller inner section of wedge shaped material behind the bone plate, and inserting two larger outer sections of wedge shaped material on either side of the smaller wedge section within the resection.

11. (previously presented) The method of claim 10, wherein the two wedge shaped sections of material have outer surfaces formed of cortical bone.

12. (previously presented) The method of claim 10, wherein the step of inserting the smaller inner section takes place prior to placing the bone plate.

13. (previously presented) The method of claim 9, wherein the material comprises allograft bone.

14. (previously presented) The method of claim 9, wherein the material comprises synthetic bone.

15. (previously presented) The method of claim 14, wherein the synthetic bone comprises a biodegradable polylactide combined with a hydroxyapatite or tricalcium phosphate.